

AUTOTRANS DEXRON

PRODUCT DESCRIPTION

KENNOL AUTOTRANS DEXRON is a high performance transmission oil, especially developed for automatic gearboxes and torque converters for which a DEXRON IID type fluid is recommended. KENNOL AUTOTRANS DEXRON is also recommended by manufacturers for the lubrication of manual gearboxes and power steering.

PROPERTIES

KENNOL AUTOTRANS DEXRON is formulated from high quality bases and additives to provide with special features, such as :

FEATURES	BENEFITS
Very good thermal and shearing stability	Extends the life of the system and improves its performance in severe usage conditions
Good air-release properties	No cavitation problems

SPECIFICATIONS

KENNOL AUTOTRANS DEXRON has been developed to meet the highest international standards, including :

GM	Dexron IID
Caterpillar	T02
Allison	C4
DENISON	
MB	236.1/236.6/236.7
GM	Type A Suffix A (TASA)
MAN	339 L2 / 339 Z1/V1
VOITH	55,6335
VOLVO	97340
ZF TE-ML	05L/21L/09/11A/04D/14A
Colour	Red
Viscosity @ 40°C, cSt	40
Viscosity @ 100°C, cSt	7,7
Viscosity Index	166
Density @ 20°C	0,869
Pour Point, °C	<-35
Flash Point, °C	>190

KENNOL AUTOTRANS DEXRON has been mainly developed to let you use the full potential of transmission of your vehicle, as well as every situation pushing the gearboxes and torque converters more than usual. Because this product was born on the track.

Direct download here : http://www.kennol.com/FT/KENNOL_AUTOTRANS_DEXRON_EN.pdf

All products may not be available locally. For more information, contact your distributor or visit www.kennol.com. Due to continual and extensive product Research and Development, the information contained herein is subject to change without notification. Typical properties may vary slightly, but not significantly.

© 2018 KENNOL. All rights reserved.