

# COMPETITION 10W50

## PRODUCT DESCRIPTION

KENNOL COMPETITION 10W50 is a fully synthetic motor oil for high performance passenger cars, operating in racing environment or under extreme conditions. It provides with optimum protection. The fully synthetic bases and “new generation” additives ensure that the product is thermally stable and maintains an high oxidation resistance, even in demanding endurance race situation.

KENNOL COMPETITION 10W50 is particularly recommended for use in warmer ambient

## PROPERTIES

KENNOL COMPETITION 10W50 is formulated from high quality synthetic bases combined with modern performance additives to provide with special features, such as :

FEATURES	BENEFITS
Antiwear and detergent properties	Extends engine life and prevents formation of black sludge
Low viscosity at low temperatures	Excellent oil flow into the engines even at cold start
Excellent thermal stability	Guarantees full protection at high temperature
High lubricating power	Enables maximum performance at high speed

## SPECIFICATIONS

KENNOL COMPETITION 10W50 has been developed to meet the highest international standards, including :

<b>SAE</b>	<b>10W50</b>
<b>API</b>	<b>SL/CF</b>
<b>ACEA</b>	<b>A3/B4</b>
Viscosity @ 40°C, cSt	115
Viscosity @ 100°C, cSt	17,6
Viscosity Index	170
Viscosity CCS @ -25°C, cP	5000 (@ -25°C)
Density @ 20°C	0,865
Viscosity HTHS (at 150 °C under high shear 106 s-1) (cP)	> 3.5
Pour Point, °C	-33
Flash Point, °C	> 210
TBN, mg KOH/g	10,7

KENNOL COMPETITION 10W50 has been mainly developed to answer the needs of demanding applications, such as race environment and endurance requirements. Because this product was born on the track.

Direct download here: [http://www.kennol.com/FT/KENNOL\\_COMPETITION\\_10W50\\_EN.pdf](http://www.kennol.com/FT/KENNOL_COMPETITION_10W50_EN.pdf)

All products may not be available locally. For more information, contact your distributor or visit [www.kennol.com](http://www.kennol.com). Due to continual and extensive product Research and Development, the information contained herein is subject to change without notification. Typical properties may vary slightly, but not significantly.

© 2013 KENNOL. All rights reserved.