

ASKING FOR ASPHALT

AUTOSHIFT MB 236.14

PRODUCT DESCRIPTION

KENNOL AUTOSHIFT MB 236.14 is a high performance 100% synthetic lubricant, for vehicle automatic transmissions requiring a low viscosity fluid. It is especially suitable for Mercedes automatic transmissions requiring the MB 236.14 standard (models: AMG, RWD 7-speed (NAG2) and 5-speed transmissions fitted with a viscous coupling locking system)

PROPERTIES

KENNOL AUTOSHIFT MB 236.14 is formulated from synthetic bases and top level performance additives to provide with special features, such as :

| FEATURES | BENEFITS |
|--|--|
| Exceptional thermal and shearing stability | Optimal performance over time Extends the life of the system and improves its performances in severe usage conditions |
| Low viscosity | Gives superior automatic transmission response: smooth shift feel and minimizing shift time lag |

SPECIFICATIONS

KENNOL AUTOSHIFT MB 236.14 has been developed to meet the highest international standards, including :

| | |
|------------------------|---|
| MB | 236.12 / 236.14 / 236.15 / 236.41 |
| GM | Dexron VI / AW1 88863400 / 88863401 |
| MERCON | LV |
| VW | G 052 533 / G 055 005 / G 055 540 G 055 162 / G 060 162 |
| JASO | M315, Class 1A |
| TOYOTA | Type WS |
| AISIN WARNER | JWS 3324 |
| NISSAN | Matic S |
| HONDA | ATF-DW1 |
| HYUNDAI | SP-IV / SPH-IV NWS-9638 T-5 / 040000C90SG |
| SHELL | M-1375.4 (ZF Lifeguardfluid 6) M-L 12108 (ZF Lifeguardfluid 8) |
| ATF | SHELL 3353 / 134 / M-1375.4 |
| BENTLEY | PY112995PA |
| BMW | 83 22 0 142 516 / 83 22 2 152 426 83 22 0 397 114/ 163 514 |
| FORD | XT-6-QSP |
| JAGUAR | Fluid 8432 |
| LAND ROVER | TYK500050 / LR0022460 |
| MASERATI | 231603 |
| MAZDA | FZ |
| MITSUBISHI | ATF-J3 |
| PORSCHE | 000 043 304 00 |
| SAAB | 93 165 147 - AW - 1 |
| Colour | Amber |
| Viscosity @ 40°C, cSt | 29,5 |
| Viscosity @ 100°C, cSt | 6 |
| Viscosity Index | 155 |
| Density @ 20°C | 0,843 |
| Pour Point, °C | <-35 |
| Flash Point, °C | >190 |

KENNOL AUTOSHIFT MB 236.14 has been mainly developed to answer the needs of demanding applications, such as racing and performance vehicles, as well as every situation pushing the gearboxes and torque converters more than usual.

Direct download here : http://www.kennol.com/FT/KENNOL_AUTOSHIFT_MB_236_14_EN.pdf

All products may not be available locally. For more information, contact your distributor or visit www.kennol.com. Due to continual and extensive product Research and Development, the information contained herein is subject to change without notification. Typical properties may vary slightly, but not significantly.

© 2018 KENNOL. All rights reserved.