



EVOLUTION 508/509 0W20

PRODUCT DESCRIPTION

KENNOL EVOLUTION 508/509 0W20 is a high-end fully synthetic lubricant especially formulated for new 2.0 TFSI 140kW and 3.0 TDI CR 160 kW diesel engines from Volkswagen and Audi.

This lubricant is a specific formulation compatible with recent clean-up equipment and enables to meet Fuel-Economy of VW Blue Oil requirements.

PROPERTIES

KENNOL EVOLUTION 508/509 0W20 is formulated from synthetic bases and high technology additives enabling the improvement of the following features:

FEATURES	BENEFITS
Low volatility	Very important decrease in oil consumption
Increased shearing stability	Optimal protection even with high shearing
Great thermal stability	Ideal protection at high operating temperature

SPECIFICATIONS

KENNOL EVOLUTION 508/509 0W20 has been developed to meet the following international standards:

SAE	0W20
VW	508.00/509.00
VW	TL 52577
Viscosity @ 40°C (cSt)	38.8
Viscosity @ 100°C (cSt)	7.8
Viscosity index	167
CCS viscosity (cP)	3280
Density @ 20°C	0.835
HTHS viscosity (@ 150 °C shearing 10 ⁶ s ⁻¹) (cP)	2.6
Noack volatility 1H at 250°C (%m)	11
TBN (mg KOH/g)	8.3

KENNOL EVOLUTION 508/509 0W20 has been conceived to develop the whole potential of modern and "green" engines, as well as their technology of energies rationalisation. Because this product was born on the track.

For more information, contact your distributor or visit www.kennol.com. Due to continual and extensive product Research and Development, the information contained herein is subject to change without notification. Typical properties may vary slightly, but not significantly.

© 2017 KENNOL. All rights reserved.