

REVOLUTION RBSO-2AE 0W20

PRODUCT DESCRIPTION

KENNOL REVOLUTION RBSO-2AE 0W20 is a high tech fully synthetic engine lubricant especially formulated for lubrication of last generation petrol and diesel VOLVO engines. This lubricant has to be used when the specification VOLVO VCC RBSO-2AE is required .

PROPERTIES

KENNOL REVOLUTION RBSO-2AE 0W20 is formulated from synthetic bases and high technology additives which enables the improvement of the following features :

FEATURES	BENEFITS
Low HTHS viscosity	Fuel consumption reduced
High resistant oil film	Wear limitation even in extreme use conditions
Low viscosity	Easier starting in cold weather

SPECIFICATIONS

KENNOL REVOLUTION RBSO-2AE 0W20 has been developed to meet the following international standards :

SAE	0W20
ACEA	A1/B1
ACEA	C5
VOLVO	VCC RBSO-2AE
Viscosity @ 40°C (cSt)	47,2
Viscosity @ 100°C (cSt)	8,9
Viscosity index	173
CCS Viscosity (cP) at -35°C	4500
Density @ 20°C	0,84
HTHS Viscosity (@ 150 °C shearing 10 ⁶ s-1) (cP)	> 2,6
Sulfated ash (%)	0,8
TBN (mg KOH/g)	7,8

KENNOL REVOLUTION RBSO-2AE 0W20 has been formulated to develop the whole potential of modern engines. Because this product is born on the track.

Direct download here: http://www.kennol.com/FT/KENNOL_REVOLUTION_RBSO-2AE_0W20_EN.pdf

All products may not be available locally. For more information, contact your distributor or visit www.kennol.com. Due to continual and extensive product Research and Development, the information contained herein is subject to change without notification. Typical properties may vary slightly, but not significantly.

© 2017 KENNOL. All rights reserved.